

Printing date 10/18/2016 Reviewed on 10/18/2016

1 Identification

- · Product identifier
- · Trade name: Virent BioForm® Diesel
- · Application of the substance / the mixture

This material is only to be used for research and development, under the direct supervision of a technically qualified person. The toxicological properties have not been thoroughly investigated.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Virent. Inc.

3571 Anderson Street Madison, WI USA 53704

- · Information department: Product safety department: dave runnels@virent.com
- · Emergency telephone number:

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident, Call CHEMTREC (Day or Night)

CHEMTREC: NORTH AMERICA: 800-424-9300

CHEMTREC: INTERNATIONAL: CALL 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

Hydrogenated Hydrocarbons (Aliphatic) from a biologically derrived source

· Hazard statements

H351 Suspected of causing cancer.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 2

Reactivity = 0

(Contd. of page 1)



Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 0FIRE 2 Fire = 2REACTIVITY 0 Reactivity = 0

- · Hazards Not Otherwise Classified NONE
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

Hydrogenated Hydrocarbons (Aliphatic) from a biologically derrived source

· Identification number(s)

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: Colorless to yellow
Odor: Odorless to petroleum-like

· Odor threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 4)



Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

		(Contd. of page	
Change in condition			
Melting point/Melting range:	Not determined.		
Boiling point/Boiling range:	>190 °C (>374 °F)		
Flash point:	>52 °C (>126 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:			
Decomposition temperature:	Not determined.		
Auto igniting:	Not determined.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not determined.		
Density:	Not determined.		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/wat	er): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Solvent content:			
Organic solvents:	0.0 %		
	Not tested		
VOC content:	0.0 g/l / 0.00 lb/gl		
Other information	No further relevant information available.		

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.



Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Causes irritation of the skin.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Hydrogenated Hydrocarbons (Aliphatic) from a biologically derrived source

2B

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

insport		

· IJN-Numb	hor
------------	-----

· **DOT**, **ADR**, **IMDG**, **IATA** UN1202

· UN proper shipping name

DOT Diesel fuel ADR Diesel fuel

(Contd. on page 6)



Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

	(Contd. of p
· IMDG, IATA	DIESEL FUEL
Transport hazard class(es)	
· DOT	
T. AMMAS E LOUIS	
3	
· Class	3 Flammable liquids
· Label	3
· ADR	
A	
	2.51 11.1: -1
· Class	3 Flammable liquids
· IMDG, IATA	
3	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	III
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
· EMS Number: · Stowage Category	F-E,S-E A
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	The officer of the state of the
-	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L
Quantity initiations	On cargo aircraft only: 220 L
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	57
· Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml



Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

(Contd. of page 6)

UN 1202 DIESEL FUEL, 3, III · UN "Model Regulation":

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Hydrogenated Hydrocarbons (Aliphatic) from a biologically derrived source

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Hydrogenated Hydrocarbons (Aliphatic) from a biologically derrived source

· Hazard statements

H351 Suspected of causing cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. P280

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

(Contd. on page 8)



Printing date 10/18/2016 Reviewed on 10/18/2016

Trade name: Virent BioForm® Diesel

(Contd. of page 7)

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/18/2016 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Carc. 2: Carcinogenicity - Category 2